

ALLERGY DROP SCHEDULE

Day 1 (at GRA) 1 Drop from Building Vial (1:10/1:500)	Day 2 1 Drop from Building Vial (1:10/1:500)	Day 3 2 Drops from Building Vial (1:10/1:500)	Day 4 2 Drops from Building Vial (1:10/1:500)	Day 5 3 Drops from Building Vial (1:10/1:500)	Day 6 3 Drops from Building Vial (1:10/1:500)	Day 7 4 Drops from Building Vial (1:10/1:500)
Day 8 4 Drops from Building Vial (1:10/1:500)	Day 9 5 Drops from Building Vial (1:10/1:500)	Day 10 5 Drops from Building Vial (1:10/1:500)	Day 11 5 Drops from Building Vial (1:10/1:500)	Day 12 5 Drops from Building Vial (1:10/1:500)	Day 13 5 Drops from Building Vial (1:10/1:500)	Day 14 5 Drops from Building Vial (1:10/1:500) Discard when Expired
Day 15 (at GRA) 1 Drop from Maintenance Vial (1:1/1:50)	Day 16 1 Drop from Maintenance Vial (1:1/1:50)	Day 17 2 Drops from Maintenance Vial (1:1/1:50)	Day 18 2 Drops from Maintenance Vial (1:1/1:50)	Day 19 3 Drops from Maintenance Vial (1:1/1:50)	Day 20 3 Drops from Maintenance Vial (1:1/1:50)	Day 21 4 Drops from Maintenance Vial (1:1/1:50)
Day 22 4 Drops from Maintenance Vial (1:1/1:50)	Day 23 5 Drops from Maintenance Vial (1:1/1:50)	Day 24 5 Drops from Maintenance Vial (1:1/1:50)	Day 25 5 Drops from Maintenance Vial (1:1/1:50)	Day 26 5 Drops from Maintenance Vial (1:1/1:50)	Day 27 5 Drops from Maintenance Vial (1:1/1:50)	Day 28 5 Drops from Maintenance Vial (1:1/1:50)

DOSE REDUCTION SCHEDULE IF LATE WITH DROPS

If still building in YELLOW:

- 1-7 days missed – begin at last dose and continue program
- 8 days or more missed – restart Vial at “Day 1” (1 drop)

If still building in RED:

- 1-7 days missed – begin at last dose and continue program
- 8-13 days missed - restart Vial at “Day 15” (1 drop)
- 14 days or more since last dose, restart program in YELLOW at “Day 1” (1 drop)
-

NEVER TAKE MORE THAN 1 DAY’S DOSE - VERY SEVERE ANAPHYLACTIC REACTIONS HAVE BEEN REPORTED WITH EXCESSIVE DOSES.